





What is a hybrid floor?

If you're looking for a newbuild or a home renovation, the choice of flooring is an extremely important aspect of the construction. The ideal choice is for a product that is durable, low maintenance, easy to install, comfortable and at the same time aesthetically attractive.

While laminate flooring is prone to swelling as it is not waterproof, and vinyl flooring can withstand moisture but it is difficult to install as the planks need to be glued to the floor, hybrid flooring gives you the best of both worlds, offering a stylish hard-wearing flooring option that can be installed throughout the entire home.



Who is the hybrid floor suitable for?

Hybrid flooring is suitable and recommended for anyone looking to combine practicality with quality and elegance. With easy installation, hybrid flooring by Qualimax offers a high-quality, waterproof and comfortable floor that stands out for its distinctive aesthetic.

Hybrid flooring is the perfect floor to be installed both in new-buildings and renovations. It can easily be placed over the original floor, reducing costs and amount of work required, and delivers a fresh, modern appearance to your property.



Hybrid floor features

The quality material of hybrid flooring has unique features such as:



Water-Proof

Qualimax hybrid floor is 100% waterproof and can be installed in wet indoor areas such as toilets and kitchens.



Low Maintenance

Highly durability and due to the technology used to create hybrid flooring, it requires no further additional surface treatments following installation.



Durable

Qualimax hybrid floor is made with premium materials making it a highly durable product, resulting in your peace of mind.



Noise Reduction Technology

Our pre-installed acoustic foam underlayment makes our hybrid floor absorb sound, reducing noise.



Comfortable

Whilst being extremely tough and resistant to high impact, Qualimax hybrid floor is soft and warm to the touch of feet, feeling more comfortable than natural wood.



Easy to install

Easily installed with just a few specific tools, hybrid flooring does not require major work to install or remove the original floor.



Pet Friendly

Non-toxic to animals, Qualimax hybrid floor doesn't trap any dirt left by your pet, and is resistant to "accidents" that may happen with your fur baby.



Warranty

Qualimax hybrid floor comes with 25 years residential warranty, ensuring long-term protection for your home.

Colour range



NATURAL

1800 x 231 x 7mm
(5.5 + 1.5 underlay)

2.079m²/Carton

SPC Hybrid Plank

Click Profile Floating Install

Micro Bevel

0.5mm
Robust Wear Layer

Approx. 22kgs/ctn

Interior Waterproof with attached Acoustic Underlay, achieve up to the highest 6-star acoustic rating dependent on some conditions.

Easy to clean, sweep regularly and use a damp well rung mop if required.



WHEAT

1800 x 231 x 7mm
(5.5 + 1.5 underlay)

2.079m²/Carton

SPC Hybrid Plank

Click Profile Floating Install

Micro Bevel

0.5mm
Robust Wear Layer

Approx. 22kgs/ctn

Interior Waterproof with attached Acoustic Underlay, achieve up to the highest 6-star acoustic rating dependent on some conditions.

Easy to clean, sweep regularly and use a damp well rung mop if required.



SPOTTED GUM

1800 x 231 x 7mm
(5.5 + 1.5 underlay)

2.079m²/Carton

SPC Hybrid Plank

Click Profile Floating Install

Micro Bevel

0.5mm
Robust Wear Layer

Approx. 22kgs/ctn

Interior Waterproof with attached Acoustic Underlay, achieve up to the highest 6-star acoustic rating dependent on some conditions.

Easy to clean, sweep regularly and use a damp well rung mop if required.





Colour range



SILVER

1800 x 231 x 7mm
(5.5 + 1.5 underlay)

2.079m²/Carton

SPC Hybrid Plank

Click Profile Floating Install

Micro Bevel

0.5mm
Robust Wear Layer

Approx. 22kgs/ctn

Interior Waterproof with attached Acoustic Underlay, achieve up to the highest 6-star acoustic rating dependent on some conditions.

Easy to clean, sweep regularly and use a damp well rung mop if required.



PALE GREY

1800 x 231 x 7mm
(5.5 + 1.5 underlay)

2.079m²/Carton

SPC Hybrid Plank

Click Profile Floating Install

Micro Bevel

0.5mm
Robust Wear Layer

Approx. 22kgs/ctn

Interior Waterproof with attached Acoustic Underlay, achieve up to the highest 6-star acoustic rating dependent on some conditions.

Easy to clean, sweep regularly and use a damp well rung mop if required.



LIGHT GREY

1800 x 231 x 7mm
(5.5 + 1.5 underlay)

2.079m²/Carton

SPC Hybrid Plank

Click Profile Floating Install

Micro Bevel

0.5mm
Robust Wear Layer

Approx. 22kgs/ctn

Interior Waterproof with attached Acoustic Underlay, achieve up to the highest 6-star acoustic rating dependent on some conditions.

Easy to clean, sweep regularly and use a damp well rung mop if required.

Colour range



LINEN

1800 x 231 x 7mm
(5.5 + 1.5 underlay)

2.079m²/Carton

SPC Hybrid Plank

Click Profile Floating Install

Micro Bevel

0.5mm
Robust Wear Layer

Approx. 22kgs/ctn

Interior Waterproof with attached Acoustic Underlay, achieve up to the highest 6-star acoustic rating dependent on some conditions.

Easy to clean, sweep regularly and use a damp well rung mop if required.



DARK BROWN

1800 x 231 x 7mm
(5.5 + 1.5 underlay)

2.079m²/Carton

SPC Hybrid Plank

Click Profile Floating Install

Micro Bevel

0.5mm
Robust Wear Layer

Approx. 22kgs/ctn

Interior Waterproof with attached Acoustic Underlay, achieve up to the highest 6-star acoustic rating dependent on some conditions.

Easy to clean, sweep regularly and use a damp well rung mop if required.



BLACKBUTT

1800 x 231 x 7mm
(5.5 + 1.5 underlay)

2.079m²/Carton

SPC Hybrid Plank

Click Profile Floating Install

Micro Bevel

0.5mm
Robust Wear Layer

Approx. 22kgs/ctn

Interior Waterproof with attached Acoustic Underlay, achieve up to the highest 6-star acoustic rating dependent on some conditions.

Easy to clean, sweep regularly and use a damp well rung mop if required.

Maintenance Tips


Keep your Qualimax Hybrid Floor in the best condition for longer!

It is natural that hardwood floors will show signs of wear over time. You can expect years from your floor by observing a few precautions and maintaining regular cleaning and maintenance routines. Timber flooring is a natural product which will mature with age. The boards will change shade over time through exposure to sunlight.

- ✓ Keep dirt, sand, grit and water off the floor by placing outside mats in front of all entrances to your home.
- ✓ Sweep or vacuum regularly to rid the floor of dust and grit that can scratch the finish.
- ✓ Remove shoes with spiked or damaged heels before walking on the floor to prevent scratches and dents.
- ✓ Keep pet claws trimmed, paws clean and free of dirt or soil.
- ✓ Always apply felt pads under any furniture or chair legs to prevent scratches and to ease movement.
- ✓ Keep pads clean at all times and regularly check and replace as necessary.
- ✓ Protect the floor when moving heavy furniture or large appliances.
- ✓ Place on mat or slide protector and slide smoothly over floor.
- ✓ Use non-slip plugs in high wear areas, i.e. in heavily travelled spots and pivot points such as room entries and stair landings.
- ✓ Never flood or wet mop the floor with water or any other liquid products.
- ✓ Wipe up spills immediately with damp cloth within 15 minutes.
- ✓ Exposure to sunlight with its UV rays accelerates oxidation and aging of materials. This may change the colour of the floor.
- ✓ Periodically rearrange the furniture to allow the floor to age evenly.



QUALIMAX
FLOORING



Head Office

Warehouse 5/36 South St, Rydalmere

E admin@qualimaxflooring.com.au

P 02 7809 4930

Open Monday to Friday, 7am to 4pm